Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

SEC	SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING					
1.1	1.1 Product identifier: ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRU					
	Other means of identification:					
	UFI:	AQU2-S0XG-D005-4YHM				
1.2	2 Relevant identified uses of the substance or mixture and uses advised against:					
	Relevant uses: Agent for surface protection. Uses advised against: All uses not specified in this section or in section 7.3					
1.3	Details of the supplier of the safe	ety data sheet:				
	BOLL Wojciech Dalewski Spółka Jawna ul. Chemiczna 3 65-713 Zielona Góra - Polska Phone: 68 451 99 99 - Fax: 68 451 99 00 buszcza@boll pl					

huszcza@boll.pl https://www.boll.pl

# **1.4 Emergency telephone number:**

# SECTION 2: HAZARDS IDENTIFICATION \*>

# 2.1 Classification of the substance or mixture:

## CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Flam. Liq. 3: Flammable liquids, Category 3, H226

STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

# 2.2 Label elements:

# CLP Regulation (EC) No 1272/2008:

Warning



## Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Flam. Liq. 3: H226 - Flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness.

## **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

- P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P260: Do not breathe vapours

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/eye protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER/doctor if you feel unwell.

P403: Store in a well-ventilated place.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

# Supplementary information:

EUH066: Repeated exposure may cause skin dryness or cracking.

# Substances that contribute to the classification

Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics; Hydrocarbons, C9, aromatics

Revised: 29/11/2022

## UFI: AQU2-S0XG-D005-4YHM

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Version: 4 (Replaced 3)



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

SECTION 2: HAZARDS IDENTIFICATION \*\* (continued)

## 2.3 Other hazards:

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

\*\* Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\*

# 3.1 Substance:

Non-applicable

## 3.2 Mixture:

Chemical description: a mixture of hydrocarbons and ethanol

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration	
CAS: EC:	8052-42-4 232-490-9	Asphalt <sup>(1)</sup>	Not classified		
Index: REACH:	Non-applicable 01-2119480172-44- XXXX	Regulation 1272/2008		10 - <25 %	
CAS:	Non-applicable 919-857-5	Hydrocarbons, C9-C1	1,n-alkanes, iso-alkanes, cyclics, <2% aromatics <sup>(2)</sup> Self-classified	1	
EC: Index: REACH:	919-857-5 Non-applicable 01-2119463258-33- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304; Flam. Liq. 3: H226; STOT SE 3: H336; EUH066 - Danger 🔅 🛞 🔇	10 - <25 %	
CAS: EC:	128601-23-0 918-668-5	Hydrocarbons, C9, ar	omatics <sup>(2)</sup> Self-classified		
Index: REACH:	Non-applicable 01-2119455851-35- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 3: H226; STOT SE 3: H335; STOT SE 3: H336; EUH066 - Danger	2,5 - <10 %	
CAS: EC:	64742-55-8 265-158-7 649-468-00-3 : 01-2119487077-29- XXXX	Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346 <sup>(2)</sup> Self-classified			
Index: REACH:		Regulation 1272/2008	Asp. Tox. 1: H304 - Danger	1 - <2,5 %	
EC:	64742-53-6 265-156-6	Distillates (petroleun 40°C <sup>(2)</sup>	n), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ Self-classified	l	
REACH:	649-466-00-2 : 01-2119480375-34- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304 - Danger	1 - <2,5 %	
	64-17-5	ethanol <sup>(1)</sup> Self-classified			
	200-578-6 603-002-00-5 01-2119457610-43- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	0,1 - <1 %	

<sup>(1)</sup> Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

<sup>(2)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# Other information:

Identification	Specific concentration limit
ethanol	
CAS: 64-17-5	% (w/w) >=50: Eye Irrit. 2 - H319
EC: 200-578-6	

\*\* Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

## 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

#### SECTION 4: FIRST AID MEASURES (continued)

## By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

# By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

# By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

## By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

## 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Not available

#### SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media:

#### Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

## Unsuitable extinguishing media:

Water jet

## 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

# 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

## **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

## For emergency responders:



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

## SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

# 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

# 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

# 7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
  - Minimum Temp.:10 °CMaximum Temp.:20 °CMaximum time:24 Months
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

## 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

#### **DNEL (Workers):**

- CONTINUED ON NEXT PAGE -

Document generated with Chemeter (www.siam-it.com)



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

		Short	exposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
Asphalt	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 8052-42-4	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 232-490-9	Inhalation	Not relevant	Not relevant	Not relevant	2,88 mg/m <sup>3</sup>
Hydrocarbons, C9, aromatics	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 128601-23-0	Dermal	Not relevant	Not relevant	25 mg/kg	Not relevant
EC: 918-668-5	Inhalation	Not relevant	Not relevant	150 mg/m <sup>3</sup>	Not relevant
Distillates (petroleum), hydrotreated light paraffinic, < 3 $\%$ IP 346	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64742-55-8	Dermal	Not relevant	Not relevant	0,97 mg/kg	Not relevant
EC: 265-158-7	Inhalation	Not relevant	Not relevant	2,73 mg/m <sup>3</sup>	5,58 mg/m <sup>3</sup>
Distillates (petroleum), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ 40°C	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64742-53-6	Dermal	Not relevant	Not relevant	0,97 mg/kg	Not relevant
EC: 265-156-6	Inhalation	Not relevant	Not relevant	2,73 mg/m <sup>3</sup>	5,58 mg/m <sup>3</sup>
ethanol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64-17-5	Dermal	Not relevant	Not relevant	343 mg/kg	Not relevant
EC: 200-578-6	Inhalation	Not relevant	Not relevant	950 mg/m <sup>3</sup>	Not relevant

# **DNEL (General population):**

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Asphalt	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 8052-42-4	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 232-490-9	Inhalation	Not relevant	Not relevant	Not relevant	0,61 mg/m <sup>3</sup>
Hydrocarbons, C9, aromatics	Oral	Not relevant	Not relevant	11 mg/kg	Not relevant
CAS: 128601-23-0	Dermal	Not relevant	Not relevant	11 mg/kg	Not relevant
EC: 918-668-5	Inhalation	Not relevant	Not relevant	32 mg/m <sup>3</sup>	Not relevant
Distillates (petroleum), hydrotreated light paraffinic, < 3 $\%$ IP 346	Oral	Not relevant	Not relevant	0,74 mg/kg	Not relevant
CAS: 64742-55-8	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 265-158-7	Inhalation	Not relevant	Not relevant	Not relevant	Not relevant
Distillates (petroleum), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ $40^{\circ}$ C	Oral	Not relevant	Not relevant	0,74 mg/kg	Not relevant
CAS: 64742-53-6	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 265-156-6	Inhalation	Not relevant	Not relevant	Not relevant	Not relevant
ethanol	Oral	Not relevant	Not relevant	87 mg/kg	Not relevant
CAS: 64-17-5	Dermal	Not relevant	Not relevant	206 mg/kg	Not relevant
EC: 200-578-6	Inhalation	Not relevant	Not relevant	114 mg/m <sup>3</sup>	Not relevant

# PNEC:

Identification				
Distillates (petroleum), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ 40°C	STP	Not relevant	Fresh water	Not relevant
CAS: 64742-53-6	Soil	Not relevant	Marine water	Not relevant
EC: 265-156-6	Intermittent	Not relevant	Sediment (Fresh water)	Not relevant
	Oral	9,33 g/kg	Sediment (Marine water)	Not relevant
ethanol	STP	580 mg/L	Fresh water	0,96 mg/L
CAS: 64-17-5	Soil	0,63 mg/kg	Marine water	0,79 mg/L
EC: 200-578-6	Intermittent	2,75 mg/L	Sediment (Fresh water)	3,6 mg/kg
	Oral	0,38 g/kg	Sediment (Marine water)	2,9 mg/kg

#### 8.2 **Exposure controls:**

A.- Individual protection measures, such as personal protective equipment



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

· ·				
Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

# D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face shield	CAT II	EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

# E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks, with antistatic and fireproof properties		EN 1149-1,2,3 EN 13034:2005+A1:2009 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN ISO 13688:2013 EN 464:1994	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk, with antistatic and heat resistant properties		EN ISO 13287:2020 EN ISO 20345:2011 EN 13832-1:2019	Replace boots at any sign of deterioration.

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>●</b> + ►	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

# **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D **Volatile organic compounds:** 

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):

26,1 % weight



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

V.O.C. density at 20 °C:339,3Average carbon number:9,52Average molecular weight:136,2

339,3 kg/m<sup>3</sup> (339,3 g/L) 9,52 136,24 g/mol

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical pro	perties:
	For complete information see the product datasheet.	
	Appearance:	
	Physical state at 20 °C:	Liquid
	Appearance:	Paste
	Colour:	Black
	Odour:	Characteristic
	Odour threshold:	Not available *
	Volatility:	
	Boiling point at atmospheric pressure:	142 °C
	Vapour pressure at 20 °C:	150 Pa
	Vapour pressure at 50 °C:	Not available *
	Evaporation rate at 20 °C:	Not available *
	Product description:	
	Density at 20 °C:	1300 kg/m <sup>3</sup>
	Relative density at 20 °C:	1,3
	Dynamic viscosity at 20 °C:	100000 cP
	Kinematic viscosity at 20 °C:	Not available *
	Kinematic viscosity at 40 °C:	50000 mm²/s
	Concentration:	Not available *
	pH:	Not available *
	Vapour density at 20 °C:	Not available *
	Partition coefficient n-octanol/water 20 °C:	Not available *
	Solubility in water at 20 °C:	Not available *
	Solubility properties:	Insoluble in water
	Decomposition temperature:	Not available *
	Melting point/freezing point:	Not available *
	Flammability:	
	Flash Point:	38 °C
	Flammability (solid, gas):	Not available *
	Autoignition temperature:	270 °C
	Lower flammability limit:	0,6 % Volume
	Upper flammability limit:	7,5 % Volume
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	ses:
	Explosive properties:	Not available *
	*Not available due to the nature of the product, not providing inf	ormation property of its hazards.

- CONTINUED ON NEXT PAGE -

Revised: 29/11/2022 Version: 4 (Replaced 3)

Document generated with Chemeter (www.siam-it.com)



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

Oxidising properties:	Not available *
Corrosive to metals:	Not available *
Heat of combustion:	Not available *
Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Not available *
Surface tension at 20 °C:	Not available *
Refraction index:	Not available *

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

# 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

# **10.3** Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

## **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

## 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact		Auto ignition at the surfaces of porous or fibrous materials impregnated with this product, can occur at temperatures as low as 100°C.

## 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION \*\*

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

## Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):

\*\* Changes with regards to the previous version



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

TION 11: TOXICOLOGICAL INFORMATION ** (continued)						
<ul> <li>Acute toxicity : Based on available data, the classification criteria as hazardous for inhalation. For more information see section 3.</li> <li>Corrosivity/Irritability: Based on available data, the classification classified as hazardous for inhalation. For more information see sector C- Contact with the skin and the eyes (acute effect):</li> </ul>	criteria are not met.					
<ul> <li>Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.</li> <li>Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substan classified as hazardous for this effect. For more information see section 3.</li> <li>D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):</li> </ul>						
<ul> <li>Carcinogenicity: Based on available data, the classification criteri as hazardous for the effects mentioned. For more information see s IARC: Hydrocarbons, C9, aromatics (3); ethanol (1); Asphalt (2B)</li> <li>2% aromatics (3); Distillates (petroleum), hydrotreated light paral hydrotreated light naphthenic, &lt; 3 % IP 346, &lt; 20.5 cSt @ 40°C (</li> <li>Mutagenicity: Based on available data, the classification criteria a hazardous for this effect. For more information see section 3.</li> <li>Reproductive toxicity: Based on available data, the classification classified as hazardous for this effect. For more information see sect</li> <li>E- Sensitizing effects:</li> </ul>	ection 3. Hydrocarbons, C9-( finic, < 3 % IP 346 ( 3) re not met, as it doe criteria are not met,	C11,n-alkanes, iso-alka (3); Distillates (petrole es not contain substan	anes, cyclics, eum), Ices classified			
<ul> <li>Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.</li> <li>Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> </ul>						
<ul> <li>F- Specific target organ toxicity (STOT) - single exposure:</li> <li>Exposure in high concentration can interfere with the central nervou vomiting, confusion, and in serious cases, loss of consciousness.</li> <li>G- Specific target organ toxicity (STOT)-repeated exposure:</li> </ul>	s system causing he	adache, dizziness, ver	rtigo, nausea,			
<ul> <li>Specific target organ toxicity (STOT)-repeated exposure: Based or it does not contain substances classified as hazardous for this effect</li> <li>Skin: Repeated exposure may cause skin dryness or cracking</li> <li>H- Aspiration hazard:</li> </ul>			are not met,			
Based on available data, the classification criteria are not met. How for this effect. For more information see section 3. <b>Other information:</b>	ever, it does contain	substances classified	as hazardous			
Not relevant						
Specific toxicology information on the substances:						
Identification	Ac	cute toxicity	Genus			
Hydrocarbons, C9, aromatics	LD50 oral	>2000 mg/kg				
CAS: 128601-23-0	LD50 dermal	>2000 mg/kg				
EC: 918-668-5	LC50 inhalation	>20 mg/L				
Asphalt	LD50 oral	>2000 mg/kg				
CAS: 8052-42-4	LD50 dermal	>2000 mg/kg				
EC: 232-490-9	LC50 inhalation	>5 mg/L	_			
Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics	LD50 oral	>5000 mg/kg	Rat			
CAS: Non-applicable	LD50 dermal	>2000 mg/kg				
EC: 919-857-5	LC50 inhalation	>20 mg/L				
Distillates (petroleum), hydrotreated light paraffinic, $< 3 \%$ IP 346	LD50 oral	>5000 mg/kg	Rat Rabbit			
CAS: 64742-55-8	LD50 dermal	>5000 mg/kg				
EC: 265-158-7	LC50 inhalation	>20 mg/L (4 h)	Rat			

\*\* Changes with regards to the previous version



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

SEC	TION 11: TOXICOLOGICAL INFORMATION ** (continued)		
	Identification	Acute toxicity	
	Distillates (petroleum), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ 40°C	LD50 oral	>2000 mg/kg
	CAS: 64742-53-6	LD50 dermal	>2000 ma/ka

2000 mg/kg AS: 64742-53-6 LC50 inhalation EC: 265-156-6 >20 mg/L LD50 oral 6200 mg/kg Rat ethanol LD50 dermal 20000 mg/kg Rabbit CAS: 64-17-5 EC: 200-578-6 LC50 inhalation 124,7 mg/L (4 h) Rat

# **11.2** Information on other hazards:

# Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

## Other information

Not relevant

\*\* Changes with regards to the previous version

# SECTION 12: ECOLOGICAL INFORMATION \*\*

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

# 12.1 Toxicity:

# Acute toxicity:

Identification		Concentration	Species	Genus	
Hydrocarbons, C9, aromatics	LC50	>1 - 10 mg/L (96 h)		Fish	
CAS: 128601-23-0	EC50	>1 - 10 mg/L (48 h)		Crustacean	
EC: 918-668-5	EC50	>1 - 10 mg/L (72 h)		Algae	
Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346	LC50	5000 mg/L (96 h)	Oncorhynchus mykiss	Fish	
CAS: 64742-55-8	EC50	1000 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 265-158-7	EC50	1000 mg/L (96 h)	Scenedesmus subspicatus	Algae	
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish	
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae	

# **Chronic toxicity:**

Identification	Concentration		Species	Genus
ethanol CAS: 64-17-5 EC: 200-578-6		250 mg/L	Danio rerio	Fish
		2 mg/L	Ceriodaphnia dubia	Crustacean

# 12.2 Persistence and degradability:

# Substance-specific information:

Identification	Degradability		Biodegradability	
Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics	BOD5	Not relevant	Concentration	Not relevant
CAS: Non-applicable	COD	Not relevant	Period	28 days
EC: 919-857-5	BOD5/COD	Not relevant	% Biodegradable	80 %
ethanol	BOD5	Not relevant	Concentration	100 mg/L
CAS: 64-17-5	COD	Not relevant	Period	14 days
EC: 200-578-6	BOD5/COD	Not relevant	% Biodegradable	89 %

# 12.3 Bioaccumulative potential:

Substance-specific information:

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Genus



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

Identification	Bi	oaccumulation potential
Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346	BCF	
CAS: 64742-55-8	Pow Log	3.9
EC: 265-158-7	Potential	
ethanol	BCF	3
CAS: 64-17-5	Pow Log	-0.31
EC: 200-578-6	Potential	Low

## 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
ethanol	Кос	1	Henry	4,61E-1 Pa·m <sup>3</sup> /mol
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes
EC: 200-578-6	Surface tension	2,339E-2 N/m (25 °C)	Moist soil	Yes

Insoluble in water

## 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

## 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

## 12.7 Other adverse effects:

Not described

\*\* Changes with regards to the previous version

## SECTION 13: DISPOSAL CONSIDERATIONS

# **13.1 Waste treatment methods:**

## Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP3 Flammable, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

## Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

# Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION \*\*

## Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

\*\* Changes with regards to the previous version



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

SECTION 14: TRANSP	PORT	INFORMATION ** (continued	
	14.1	UN number or ID number:	UN1139
		UN proper shipping name:	COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum
			or barrel lining)
	14.3	Transport hazard class(es):	3
3		Labels:	3
		Packing group: Environmental hazards:	III No
	-	Special precautions for user	10
	14.0	Special regulations:	Not relevant
		Tunnel restriction code:	D/E
		Physico-Chemical properties:	see section 9
		Limited quantities:	5 L
	14.7	Maritime transport in bulk according to IMO instruments:	Not relevant
Transport of da	ngero	us goods by sea:	
With regard to IM	1DG 41	-22:	
-	14.1	UN number or ID number:	UN1139
	14.2	UN proper shipping name:	COATING SOLUTION (includes surface treatments or coatings used
*			for industrial or other purposes such as vehicle under coating, drum or barrel lining)
	14.3	Transport hazard class(es):	3
3		Labels:	3
V		Packing group: Marine pollutant:	III No
		Special precautions for user	NO
	14.0	Special regulations:	955
		EmS Codes:	F-E, S-E
		Physico-Chemical properties:	see section 9
		Limited quantities:	5 L
		Segregation group:	Not relevant
	14.7	Maritime transport in bulk according to IMO instruments:	Not relevant
Transport of da	naero	us goods by air:	
With regard to IA	-	• •	
		UN number or ID number:	UN1139
		UN proper shipping name:	COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under coating, drum or barrel lining)
3	14.3	Transport hazard class(es):	3
•		Labels:	3
		Packing group:	III
		Environmental hazards:	No
	14.6	Special precautions for user	
	1 / <del>-</del>	Physico-Chemical properties:	see section 9
	14./	Maritime transport in bulk according to IMO instruments:	Not relevant
** Changes with regards to t	he nrei	vious version	

**15: REGULATORY INFORMATION** SECTIO



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

### SECTION 15: REGULATORY INFORMATION (continued)

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: ethanol (64-17-5) PT: (1,2,4,6)
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

#### Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P5c	FLAMMABLE LIQUIDS	5000	50000

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

## Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

# Other legislation:

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION \*

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

# Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878 COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12): New declared substances Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics Asphalt (8052-42-4) ethanol (64-17-5) Distillates (petroleum), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ 40°C (64742-53-6) Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346 (64742-55-8) · Removed substances Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (64742-82-1) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): · Pictograms Hazard statements · Precautionary statements TRANSPORT INFORMATION (SECTION 14): · UN number Texts of the legislative phrases mentioned in section 2: H336: May cause drowsiness or dizziness. H412: Harmful to aquatic life with long lasting effects. H226: Flammable liquid and vapour. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008:

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Revised: 29/11/2022 Version: 4 (Replaced 3)



# ŚRODEK DO KONSERWACJI PODWOZIA NA PĘDZEL - UNDERBODY BRUSHABLE

SECTION 16: OTHER INFORMATION ** (continued)
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Flam. Liq. 3: H226 - Flammable liquid and vapour.
STOT SE 3: H335 - May cause respiratory irritation.
STOT SE 3: H336 - May cause drowsiness or dizziness.
Classification procedure:
STOT SE 3: Calculation method
Aquatic Chronic 3: Calculation method
Flam. Liq. 3: Calculation method (2.6.4.3)
Advice related to training:
Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.
Principal bibliographical sources:
http://echa.europa.eu
http://eur-lex.europa.eu
Abbreviations and acronyms:
ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand
BOD5: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient
Koc: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

\*\* Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.