

ODRDZEWIACZ W SPRAYU - RUST REMOVER - SPRAY

SEC		OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	
1.1	Product identifier:	ODRDZEWIACZ W SPRAYU - RUST REMOVER - SPRAY	
	Other means of identificati	on:	
	UFI:	N3U2-803Q-700Q-HKF5	
1.2	Relevant identified uses of	the substance or mixture and uses advised against:	
	Relevant uses: Rust remover s	pray.	
	Uses advised against: All uses	not specified in this section or in section 7.3	
1.3	Details of the supplier of th	e safety data sheet:	

BOLL Wojciech Dalewski Spółka Jawna ul. Chemiczna 3 65-713 Zielona Góra - Polska Phone: 68 451 99 99 - Fax: 68 451 99 00 huszcza@boll.pl https://www.boll.pl

1.4 Emergency telephone number:

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aerosol 1: Flammable aerosols, Category 1, H222 Aerosol 1: Pressurised container: May burst if heated., H229 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Skin Irrit. 2: Skin irritation, Category 2, H315 STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Aerosol 1: H222 - Extremely flammable aerosol. Aerosol 1: H229 - Pressurised container: May burst if heated. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H336 - May cause drowsiness or dizziness.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

- P102: Keep out of reach of children.
- P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211: Do not spray on an open flame or other ignition source.
- P251: Do not pierce or burn, even after use.
- P260: Do not breathe spray
- P271: Use only outdoors or in a well-ventilated area.
- P280: Wear protective gloves/eye protection.
- P302+P352: IF ON SKIN: Wash with plenty of water.
- P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312: Call a POISON CENTER/doctor if you feel unwell.
- P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F
- P501: Dispose of contents/ container in accordance with local/regional/national/international regulation.

Substances that contribute to the classification



SECTION 2: HAZARDS IDENTIFICATION (continued)

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics; Kerosine (petroleum), hydrodesulfurized (23 °C < FP < 60 °C); Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346; Distillates (petroleum), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ 40°C **UFI:** N3U2-803Q-700Q-HKF5

2.3 Other hazards:

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: active ingredient mixture with a propellant. Propellant: propane - butane

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:	Non-applicable	Hydrocarbons, C10-C	C13, n-alkanes, isoalkanes, cyclics, <2% aromatics ⁽¹⁾ Self-classified	
EC: Index: REACH:	918-481-9 Non-applicable 01-2119457273-39- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304; EUH066 - Danger	10 - <25 %
CAS:	106-97-8	Butane ⁽²⁾	ATP CLP00	
	203-448-7 601-004-00-0 01-2119474691-32- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	10 - <25 %
CAS:	64742-81-0	Kerosine (petroleum), hydrodesulfurized (23 °C < FP < 60 °C) ⁽¹⁾ Self-classified	
	265-184-9 649-423-00-8 01-2119462828-25- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: () 🛞 🛞 🏠 H315; STOT SE 3: H336 - Danger	10 - <25 %
CAS:	64742-55-8	Distillates (petroleur	n), hydrotreated light paraffinic, < 3 % IP 346 ⁽¹⁾ Self-classified	
	265-158-7 649-468-00-3 01-2119487077-29- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304 - Danger	10 - <25 %
CAS: EC:	64742-53-6 265-156-6 649-466-00-2	Distillates (petroleur 40°C ⁽¹⁾	n), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ Self-classified	
	01-2119480375-34- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304 - Danger	10 - <25 %
CAS:	74-98-6	Propane ⁽²⁾	ATP CLP00	
	200-827-9 601-003-00-5 01-2119486944-21- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	10 - <25 %
CAS:	75-28-5	Isobutane ⁽²⁾	ATP CLP00	
	200-857-2 601-004-00-0 01-2119485395-27- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas (Liq.): H280 - Danger	2,5 - <10 %
CAS:	Non-applicable	Hydrocarbons, C12-C	15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ⁽¹⁾ Self-classified	
	920-107-4 Non-applicable 01-2119453414-43- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304; EUH066 - Danger	1 - <2,5 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878
⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES



SECTION 4: FIRST AID MEASURES (continued)

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. **By inhalation:**

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not available

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Unsuitable extinguishing media:

Water jet

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Revised: 22/11/2022

For non-emergency personnel:

Version: 4 (Replaced 3)

BOLL

6.3

ODRDZEWIACZ W SPRAYU - RUST REMOVER - SPRAY

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	10 °C
Maximum Temp.:	20 °C
Maximum time:	24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

DNEL (Workers):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Kerosine (petroleum), hydrodesulfurized (23 °C < FP < 60 °C)	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64742-81-0	Dermal	Not relevant	Not relevant	7,7 mg/kg	Not relevant
EC: 265-184-9	Inhalation	Not relevant	250 mg/m ³	50 mg/m ³	Not relevant
Distillates (petroleum), hydrotreated light paraffinic, < 3 $\%$ IP 346	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64742-55-8	Dermal	Not relevant	Not relevant	0,97 mg/kg	Not relevant
EC: 265-158-7	Inhalation	Not relevant	Not relevant	2,73 mg/m ³	5,58 mg/m ³
Distillates (petroleum), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ 40°C	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64742-53-6	Dermal	Not relevant	Not relevant	0,97 mg/kg	Not relevant
EC: 265-156-6	Inhalation	Not relevant	Not relevant	2,73 mg/m ³	5,58 mg/m ³

DNEL (General population):

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
Kerosine (petroleum), hydrodesulfurized (23 °C < FP < 60 °C)	Oral	Not relevant	Not relevant	5 mg/kg	Not relevant
CAS: 64742-81-0	Dermal	Not relevant	Not relevant	1,64 mg/kg	Not relevant
EC: 265-184-9	Inhalation	Not relevant	Not relevant	10,66 mg/m ³	Not relevant
Distillates (petroleum), hydrotreated light paraffinic, < 3 $\%$ IP 346	Oral	Not relevant	Not relevant	0,74 mg/kg	Not relevant
CAS: 64742-55-8	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 265-158-7	Inhalation	Not relevant	Not relevant	Not relevant	Not relevant
Distillates (petroleum), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ 40°C	Oral	Not relevant	Not relevant	0,74 mg/kg	Not relevant
CAS: 64742-53-6	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 265-156-6	Inhalation	Not relevant	Not relevant	Not relevant	Not relevant

PNEC:

Identification				
Distillates (petroleum), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ 40° C	STP	Not relevant	Fresh water	Not relevant
CAS: 64742-53-6	Soil	Not relevant	Marine water	Not relevant
EC: 265-156-6	Intermittent	Not relevant	Sediment (Fresh water)	Not relevant
	Oral	9,33 g/kg	Sediment (Marine water)	Not relevant

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

Revised: 22/11/2022

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases, vapours and particles		EN 149:2001+A1:2009 EN 405:2002+A1:2010 EN ISO 136:1998	Replace when an increase in resistence to breathing is observed and/or a smell or taste of the contaminant is detected.

Version: 4 (Replaced 3)

C.- Specific protection for the hands



Pictogram		PPE	Labelling	CEI	N Standard		Remarks
Mandatory hand	mi	gloves against Ior risks	CATI			prolo profest CE	ce gloves in case of any sign of damage nged periods of exposure to the produc sional users/industrials, we recommend III gloves in line with standards EN ISO 20:2020 and EN ISO 374-1:2016+A1:20
As the product	and has there		stances, the res ecked prior to th			erial ca	n not be calculated in advance w
Pictogram		PPE	Labelling	CEI	N Standard		Remarks
Mandatory face protection	splash	glasses against projections.			166:2002 O 4007:2018		daily and disinfect periodically accordin nanufacturer 's instructions. Use if there risk of splashing.
E Body protectio	n						
Pictogram		PPE	Labelling	CEI	V Standard		Remarks
Mandatory comple	protec	and fireproof ve clothing		EN 1 EN 1 EN 1 EN 15	149-1:2006 149-2:1997 149-3:2004 168:2002) 14116:2015 149-5:2018		Limited protection against flames.
Mandatory foot protection	antistatic a	ootwear with nd heat resistant operties) 13287:2020) 20345:2011	R	eplace boots at any sign of deterioration
F Additional eme	ergency meas	ures					
Emergency	measure	St	andards		Emergency mea	sure	Standards
Emergency	+ / shower		SI Z358-1 11, ISO 3864-4:20	011	Eyewash static	ons	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:201
Environmental of In accordance wit spillage of both th Volatile organic With regard to Dir V.O.C. (Supply V.O.C. density	h the commune product and compounds rective 2010/7 /):	hity legislation l its container. : 5/EU, this proc 55,43	For additional i	information	n see subsectio		mmended to avoid environmenta
Average carbo		12					
Average molec	cular weight:	155,6	5 g/mol				
TION 9: PHYSICA	AND CHE	MICAI PROP	PERTIES				
			21(1120				

 Appearance:
 Physical state at 20 °C:
 Aerosol

 Appearance:
 Fluid

 Colour:
 Characteristic

 *Not available due to the nature of the product, not providing information property of its hazards.

Revised: 22/11/2022

- CONTINUED ON NEXT PAGE -


Version: 4 (Replaced 3)



SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Odour:	Characteristic
	Odour threshold:	Not available *
	Volatility:	
	Boiling point at atmospheric pressure:	-45 °C (Propellant)
	Vapour pressure at 20 °C:	400000 Pa
	Vapour pressure at 50 °C:	Not available *
	Evaporation rate at 20 °C:	Not available *
	Product description:	
	Density at 20 °C:	0,7 kg/m³
	Relative density at 20 °C:	0,707
	Dynamic viscosity at 20 °C:	Not available *
	Kinematic viscosity at 20 °C:	Not available *
	Kinematic viscosity at 40 °C:	≤20,5 mm²/s
	Concentration:	Not available *
	pH:	Not available *
	Vapour density at 20 °C:	Not available *
	Partition coefficient n-octanol/water 20 °C:	Not available *
	Solubility in water at 20 °C:	Not available *
	Solubility properties:	Not available *
	Decomposition temperature:	Not available *
	Melting point/freezing point:	Not available *
	Recipient pressure:	Not available *
	Flammability:	
	Flash Point:	-97 °C (Propellant)
	Flammability (solid, gas):	Not available *
	Autoignition temperature:	220 °C (Propellant)
	Lower flammability limit:	0,6 % Volume
	Upper flammability limit:	10,9 % Volume
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	sses:
	Explosive properties:	Not available *
	Oxidising properties:	Not available *
	Corrosive to metals:	Not available *
	Heat of combustion:	Not available *
	Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Not available *
	Surface tension at 20 °C:	Not available *
	Refraction index:	Not available *
	*Not available due to the nature of the product, not providing in	
	not available due to the nature of the product, not providing in	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:





ODRDZEWIACZ W SPRAYU - RUST REMOVER - SPRAY

SECTION 10: STABILITY AND REACTIVITY (continued)
No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.
10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346 (3); Distillates (petroleum), hydrotreated light naphthenic, < 3 % IP 346, < 20.5 cSt @ 40°C (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:



ODRDZEWIACZ W SPRAYU - RUST REMOVER - SPRAY

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are
 - classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Ac	ute toxicity	Genus
Butane	LD50 oral	>2000 mg/kg	
CAS: 106-97-8	LD50 dermal	>2000 mg/kg	
EC: 203-448-7	LC50 inhalation	658 mg/L (4 h)	Rat
Propane	LD50 oral	>2000 mg/kg	
CAS: 74-98-6	LD50 dermal	>2000 mg/kg	
EC: 200-827-9	LC50 inhalation	>5 mg/L	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	LD50 oral	>2000 mg/kg	
CAS: Non-applicable	LD50 dermal	>2000 mg/kg	
EC: 918-481-9	LC50 inhalation	>20 mg/L	
Kerosine (petroleum), hydrodesulfurized (23 °C < FP < 60 °C)	LD50 oral	>2000 mg/kg	
CAS: 64742-81-0	LD50 dermal	>2000 mg/kg	
EC: 265-184-9	LC50 inhalation	>20 mg/L	
Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346	LD50 oral	>5000 mg/kg	Rat
CAS: 64742-55-8	LD50 dermal	>5000 mg/kg	Rabbit
EC: 265-158-7	LC50 inhalation	>20 mg/L (4 h)	Rat
Distillates (petroleum), hydrotreated light naphthenic , < 3 % IP 346, < 20.5 cSt @ 40°C	LD50 oral	>2000 mg/kg	
CAS: 64742-53-6	LD50 dermal	>2000 mg/kg	
EC: 265-156-6	LC50 inhalation	>20 mg/L	
Isobutane	LD50 oral	>2000 mg/kg	
CAS: 75-28-5	LD50 dermal	>2000 mg/kg	
EC: 200-857-2	LC50 inhalation	>5 mg/L	
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	LD50 oral	>2000 mg/kg	
CAS: Non-applicable	LD50 dermal	>2000 mg/kg	
EC: 920-107-4	LC50 inhalation	>20 mg/L	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION



SECTION 12: ECOLOGICAL INFORMATION (continued)

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus	
Kerosine (petroleum), hydrodesulfurized (23 °C < FP < 60 °C)	LC50	>1 - 10 mg/L (96 h)		Fish	
CAS: 64742-81-0	EC50	>1 - 10 mg/L (48 h)		Crustacean	
EC: 265-184-9	EC50	>1 - 10 mg/L (72 h)		Algae	
Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346	LC50	5000 mg/L (96 h)	Oncorhynchus mykiss	Fish	
CAS: 64742-55-8	EC50	1000 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 265-158-7	EC50	1000 mg/L (96 h)	Scenedesmus subspicatus	Algae	

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bi	Bioaccumulation potential		
Butane	BCF	33		
CAS: 106-97-8	Pow Log	2.89		
EC: 203-448-7	Potential	Moderate		
Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346	BCF			
CAS: 64742-55-8	Pow Log	3.9		
EC: 265-158-7	Potential			
Propane	BCF	13		
CAS: 74-98-6	Pow Log	2.86		
EC: 200-827-9	Potential	Low		
Isobutane	BCF	27		
CAS: 75-28-5	Pow Log	2.76		
EC: 200-857-2	Potential	Low		

12.4 Mobility in soil:

Identification	Absorp	tion/desorption	Volat	ility
Butane	Кос	900	Henry	96258,75 Pa·m ³ /mol
CAS: 106-97-8	Conclusion	Low	Dry soil	Yes
EC: 203-448-7	Surface tension	1,187E-2 N/m (25 °C)	Moist soil	Yes
Propane	Кос	460	Henry	71636,78 Pa·m ³ /mol
CAS: 74-98-6	Conclusion	Moderate	Dry soil	Yes
EC: 200-827-9	Surface tension	7,02E-3 N/m (25 °C)	Moist soil	Yes
Isobutane	Кос	35	Henry	120576,75 Pa·m³/mol
CAS: 75-28-5	Conclusion	Very High	Dry soil	Yes
EC: 200-857-2	Surface tension	9,84E-3 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:



ODRDZEWIACZ W SPRAYU - RUST REMOVER - SPRAY

SECTION 13: DISPOSAL CONSIDERATIONS (continued

ſ	Code	Description	Waste class (Regulation (EU) No 1357/2014)
	16 05 04*	gases in pressure containers (including halons) containing hazardous substances	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

-	-	us goods by land:	
With regard to		23 and RID 2023:	
•		UN number or ID number:	UN1950
		UN proper shipping name:	AEROSOLS
	14.3	Transport hazard class(es):	2
$\langle - \rangle$		Labels:	2.1
		Packing group:	N/A
	-	Environmental hazards:	No
	14.6	Special precautions for user	
		Special regulations:	190, 327, 344, 625
		Tunnel restriction code:	D
		Physico-Chemical properties:	see section 9
		Limited quantities:	1L
	14.7	Maritime transport in bulk according to IMO instruments:	Not relevant
Transport of d	angero	us goods by sea:	
With regard to I	MDG 41	-22:	
	14.1	UN number or ID number:	UN1950
	14.2	UN proper shipping name:	AEROSOLS
, AL	14.3	Transport hazard class(es):	2
		Labels:	2.1
		Packing group:	N/A
2	14.5	Marine pollutant:	No
	14.6	Special precautions for user	
		Special regulations:	63, 959, 190, 277, 327, 344
		EmS Codes:	F-D, S-U
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 L
		Segregation group:	Not relevant
	14.7	Maritime transport in bulk according to IMO instruments:	Not relevant
Transport of d	langero	us goods by air:	
With regard to I	ATA/ICA	AO 2024:	

- CONTINUED ON NEXT PAGE -

Version: 4 (Replaced 3)

Revised: 22/11/2022



ODRDZEWIACZ W SPRAYU - RUST REMOVER - SPRAY

SECTION 14: TRANSP	PORT	INFORMATION (continued)	
	14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user	UN1950 AEROSOLS 2 2.1 N/A No
	14.7	Physico-Chemical properties: Maritime transport in bulk according to IMO instruments:	see section 9 Not relevant

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P3a	FLAMMABLE AEROSOLS	150	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and iokes.

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 94/1/EC of 6 January 1994 adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of the relating Member States to aerosol dispensers

Commission Directive 2008/47/EC of 8 April 2008 amending, for the purposes of adapting to technical progress, Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 2013/10/EU of 19 March 2013 amending Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures COMMISSION DIRECTIVE (EU) 2016/2037 of 21 November 2016 amending Council Directive 75/324/EEC as regards the maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

BOLL

ODRDZEWIACZ W SPRAYU - RUST REMOVER - SPRAY

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sh has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/20 (COMMISSION REGULATION (EU) 2020/878).
Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:
Not relevant
Texts of the legislative phrases mentioned in section 2:
H222: Extremely flammable aerosol.
H315: Causes skin irritation.
H336: May cause drowsiness or dizziness.
H412: Harmful to aquatic life with long lasting effects.
H229: Pressurised container: May burst if heated.
Texts of the legislative phrases mentioned in section 3:
The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3
CLP Regulation (EC) No 1272/2008:
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Flam. Gas 1A: H220 - Extremely flammable gas.
Flam. Liq. 3: H226 - Flammable liquid and vapour. Press. Gas (Liq.): H280 - Contains gas under pressure, may explode if heated.
Press. Gas: H280 - Contains gas under pressure, may explode if heated.
Skin Irrit. 2: H315 - Causes skin irritation.
STOT SE 3: H336 - May cause drowsiness or dizziness.
Classification procedure:
Aerosol 1: Calculation method
Skin Irrit. 2: Calculation method
STOT SE 3: Calculation method
Aquatic Chronic 3: Calculation method Aerosol 1: Calculation method
Advice related to training:
Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension a
interpretation of this safety data sheet, as well as the label on the product.
Principal bibliographical sources:
http://echa.europa.eu
http://eur-lex.europa.eu
Abbreviations and acronyms:
ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50 EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient
Koc: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -